



# Product Catalog

# 2026

MADE IN SPAIN



# ESTonetex System

We are committed to delivering high-quality theming solutions and professional tools that support the art of transformation in construction and restoration.

# PRODUCT RANGE

---

## MATERIALS

Mortars	1
Pigments	17
Sealers	24
Mesh	25
Other products	29

## TOOLS

Wood stamps	31
Rock and stone stamps	37
EST Tools	52
EPS cutting tools	54
Other tools	57

## MACHINES

Machines	69
Machine products	71

20  
26



# ESTonetex Materials

## for Theming Works



# ESTONETEX TXT

MORTARS

## DESCRIPTION

Thixotropic, moldable mortar for carving and stamping. Supports large volumes with strong adhesion and a workable open time for fine detailing and textures.

## USES

Artificial rock, stone, figures, façade and walls, compatible with stamps and hand carving. And it can be sprayed or applied by hand.

## THICKNESS

1 cm to 20 cm, in different layers

## PROJECTS

Vertical walls, hotels, resorts, indoor and outdoor, zoos, ceilings, façades.



## COLORS



## PACKAGING

BAGS OF 25KG

PALLET OF 48 BAGS

## REF

1000

# ESTONETEX FORTE

MORTARS

## DESCRIPTION

Thin-coat mortar for decorative effects on top of EPS/XPS and low-adhesion substrates. Works as a structural primer and decorative finish layer.

## USES


Primer to mortars TXT/Park/Sulfo/Extreme/Park; decorative thin layer mortar for EPS and plaster board. And it can be sprayed or applied by hand.

## THICKNESS

2 mm to 15 mm

## PROJECTS

Decorative works like stucco, travertino, concrete, microcement, rock texture and EPS figures.



## COLORS



## PACKAGING

BAGS OF 25KG

PALLET OF 48 BAGS

## REF

1001

# ESTONETEX PARK

MORTARS

## DESCRIPTION

Decorative mortar for large surfaces with excellent site productivity and thixotropy for continuous modeling.

## USES


Artificial rock, stone, figures, façade and walls, compatible with stamps and hand carving. And it can be sprayed or applied by hand.

## THICKNESS

1 cm to 6 cm

## PROJECTS

Theme parks, resorts, zoos, leisure spaces, outdoor and indoor surfaces.



## COLORS



## PACKAGING

BAGS OF 25KG

PALLET OF 48 BAGS

## REF

1002

# ESTONETEX SULFO

MORTARS

## DESCRIPTION

Thixotropic sulphate resistant, moldable mortar for carving and stamping. Supports large volumes with strong adhesion and a workable open time for fine detailing and textures.

## USES


Coast environments, surfaces in touch with salt and chlorine water. And it can be sprayed or applied by hand.

## THICKNESS

1 cm to 20 cm, in different layers

## PROJECTS

Pools, waterfalls, showers, fountains, resorts, water parks.



## COLORS



## PACKAGING

BAGS OF 25KG

PALLET OF 48 BAGS

## REF

1003

# ESTONETEX EXTREME

MORTARS

## DESCRIPTION

Thixotropic, moldable mortar for carving and stamping. High-strength mortar for continuous contact/immersion (chlorine/salt water) and severe climates.

## USES

Aquariums, submerged rock, heavy-wear areas and critical reconstructions.

Additive with EST-26 Multilite (1 product x 5 water). And it can be sprayed or applied by hand.

## THICKNESS

2 cm to 20 cm, in different layers

## PROJECTS

Pools, aquariums, zoos, fountains, spas, saunas.



## COLORS



## PACKAGING

BAGS OF 25KG

PALLET OF 48 BAGS

## REF

1004

# ESTONETEX PAV

MORTARS

## DESCRIPTION

Single-component wear layer mortar for themed pavements, and decorative floors

## USES

10–20 mm toppings, walkways, themed plazas; anti-slip finish via texture or stamps. And it can be sprayed or applied by hand.

## THICKNESS

1 cm to 2 cm

## PROJECTS

Public pavements, garages, theme parks, outdoor and indoor floors.



## COLORS



## PACKAGING

BAGS OF 25KG

PALLET OF 48 BAGS

## REF

1005

# ESTONETEX EXTREME SR-MR

MORTARS

## DESCRIPTION

Thixotropic sulphate resistant, moldable mortar for carving and stamping. High-strength mortar for continuous contact/immersion (marine water) and severe climates.

## USES

Aquariums, submerged rock, heavy-wear areas and critical reconstructions.

Additive with EST-26 Multilite (1 product x 5 water) or directly mixed with water. And it can be sprayed or applied by hand.

## THICKNESS

2 cm to 20 cm, in different layers

## PROJECTS

Pools, aquariums, zoos, fountains, spas, saunas.



## COLORS



## PACKAGING

BAGS OF 25KG

PALLET OF 48 BAGS

## REF

1006

# ESTONETEX FIBRAX

MORTARS

## DESCRIPTION

Super-fibered primer/bonding mortar for EPS/XPS and mineral bases; high-adhesion primer.

## USES

EPS primer, it avoids to put fiberglass mesh due it super fibered. And it can be sprayed or applied by hand.

## THICKNESS

5 mm to 20 mm

## PROJECTS

Primer for EPS on waterfalls, artificial rock, decorative sculptures and theme parks.



## COLORS



## PACKAGING

BAGS OF 25KG

PALLET OF 48 BAGS

## REF

1007

# ESTONETEX RESTAURA

MORTARS

## DESCRIPTION

Lime-based mortar for heritage and restoration, formulated for compatibility with natural stone and brick.

## USES

Restoring existing natural stone or brick and stone sculptures.

Additive with EST-26 Multilite (1 product x 6 water). And it can be sprayed or applied by hand.

## THICKNESS

1 cm to 20 cm, in different layers

## PROJECTS

Heritage restoration, old walls, rustic houses and villas, vertical surfaces with dampness problems.



## COLORS



## PACKAGING

BAGS OF 25KG

PALLET OF 48 BAGS

## REF

1008

# TRABICAL

MORTARS

## DESCRIPTION

Natural lime-gypsum mortar for indoor vertical applications, providing fine finish and comfortable workability. For microcement, stucco and travertino effects.

## USES


Interior renders, smooth finishes and textures in new build or existing walls. Application by hand.

## THICKNESS

2 mm to 12 mm

## PROJECTS

Indoor walls, resorts, private houses, bio construction, hotels, luxury villas.



## COLORS



## PACKAGING

BUCKETS OF 25KG

PALLET OF 27 BUCKETS

## REF

1009

# ART ROCK GR

MORTARS

## DESCRIPTION

Thixotropic, moldable mortar for carving and stamping. Supports large volumes with strong adhesion and a workable open time for fine detailing and textures.



## USES

Artificial rock, stone, figures, façade and walls, compatible with stamps and hand carving. And it can be sprayed or applied by hand.

## THICKNESS

1 cm to 20 cm, in different layers

## PROJECTS

Vertical walls, hotels, resorts, indoor and outdoor, zoos, ceilings, façades.



## COLORS



## PACKAGING

BUCKETS OF 25KG

PALLET OF 27 BUCKETS

## REF

1010

# ART ROCK FI

MORTARS

## DESCRIPTION

Thin-coat mortar for decorative effects on top of EPS/XPS and low-adhesion substrates. Works as a structural primer and leveling/fine finish layer.



## USES

Decorative thin layer mortar for EPS and plaster board. And it can be sprayed or applied by hand.

## THICKNESS

2 mm to 15 mm

## PROJECTS

Decorative works like stucco, travertino, concrete, microcement, rock texture and EPS figures.



## COLORS



## PACKAGING

BUCKETS OF 25KG

PALLET OF 27 BUCKETS

## REF


1011

# TEXTUREST

MORTARS

## DESCRIPTION

Colored one-coat render for scratched or textured finishes; high façade resistance and durability.



## USES

Exterior/interior coatings with mineral aesthetics; single coat or built-up system up to 30 mm. And it can be sprayed or applied by hand.

## THICKNESS

8 mm to 30 mm, in different layers

## PROJECTS

Indoor and outdoor walls, façades, ceilings, large projects, and resorts.



## COLORS



## PACKAGING

BAGS OF 25KG

PALLET OF 48 BAGS

## REF

1012

# HYDRAULIC LIME NHL 3,5

## DESCRIPTION

Pure Natural Hydraulic Lime (NHL) fired from selected marly limestones ( $\approx 900-1200^{\circ}\text{C}$ ) and slowly hydrated; additive-free. Highly breathable binder for healthy interiors and fully compatible with historic masonry.

## USES

Heritage restoration and bio-construction; interior/exterior renders; grouting natural stone and brick; bedding rustic floors (ceramic/stone) and arab roof tiles; wineries and damp-prone buildings. Mix with 3 parts of sand.

## THICKNESS

5 mm to 30 mm

## PROJECTS

Heritage restoration, bio construction, rustic houses and villas.



## COLORS



## PACKAGING

BAGS OF 17KG

PALLET OF 64 BAGS

## REF

1013

# HYDRAULIC LIME NHL 5

## DESCRIPTION

Pure Natural Hydraulic Lime of higher strength class than NHL3.5; kiln-fired from marly limestones and slowly hydrated; no additives. Maintains breathability with improved structural performance.

## USES

New-build and restoration; masonry with ceramic blocks; setting natural stone; rustic floor bedding (ceramic/stone); arab roof tiles; interior/exterior renders; cellars and humid environments. Mix with 3 parts of sand.

## THICKNESS

5 mm to 30 mm

## PROJECTS

Heritage restoration, bio construction, rustic houses and villas.



## COLORS



## PACKAGING

BAGS OF 18.5KG

PALLET OF 64 BAGS


## REF

1014

# COLOR CHART

MORTARS

## EST-TXT - EST-PARK



## EST-SULFO

## ART-ROCK GR - ART ROCK FI



## TRABICAL





## EST-26 MULTILITE TRANSPARENT

Potassium silicate mineral in a colorless base. It works as a consolidant for Mixol stains, an additive for ESTonetex mortars, and a primer for mineral substrates. It penetrates the substrate without leaving surface layers and allows the mortar to breathe.

PACKAGING: 10L

REF: 1100



## EST-26 MULTILITE COLOR

Colored mineral potassium silicate. Ready-to-use product that can be applied directly onto mineral substrates for pigmentation. Mixol tint can be added to modify its color, or the colorless base can be added to reduce its intensity. Color chart available.

PACKAGING: 5L - 10L

REF: 1101 - 5L  
REF: 1102 - 10L



## EST-SILCOPIN TRANSPARENT

Potassium silicate mineral in a colorless base. It works as a consolidant for Mixol stains, an additive for ESTonetex mortars, and a primer for mineral substrates. It penetrates the substrate without leaving surface layers and allows the mortar to breathe.

PACKAGING: 10L

REF: 1103



## EST-SILCOPIN COLOR

Colored mineral potassium silicate. Ready-to-use product that can be applied directly onto mineral substrates for pigmentation. Mixol tint can be added to modify its color, or the colorless base can be added to reduce its intensity. Color chart available.

PACKAGING: 5L - 10L

REF: 1104 - 5L  
REF: 1105 - 10L



## EST-MONOCROM TRANSPARENT

Mineral potassium silicate in gel format in a colorless base. It acts as a consolidant for Mixol tints. Great hiding power, ideal for carrying out monochrome pigmentation or with intense or dark colors. It penetrates the substrate without leaving surface layers and allows the mortar to breathe.

PACKAGING: 5L - 10L

REF: 1106 - 5L  
REF: 1107 - 10L



## EST-MONOCROM COLOR

Mineral potassium silicate in gel format with a colored base. Ready-to-use preparation, it can be applied directly onto mineral bases for pigmentation. It allows for the addition of Mixol tint to modify its color or a colorless base to reduce the intensity. Color chart.

PACKAGING: 5L - 10L

REF: 1108 - 5L  
REF: 1109 - 10L



## EST-MONPIL TRANSPARENT

Mineral potassium silicate in gel format in a colorless base. It acts as a consolidant for Mixol tints. Great hiding power, ideal for carrying out monochrome pigmentation or with intense or dark colors. It penetrates the substrate without leaving surface layers and allows the mortar to breathe.

PACKAGING: 5L - 10L

REF: 1110 - 5L  
REF: 1111 - 10L



## EST-MONPIL COLOR

Mineral potassium silicate in gel format with a colored base. Ready-to-use preparation, it can be applied directly onto mineral bases for pigmentation. It allows for the addition of Mixol tint to modify its color or a colorless base to reduce the intensity. Color chart.

PACKAGING: 5L - 10L

REF: 1112 - 5L  
REF: 1113 - 10L



### EST-MULTIPOL TRANSPARENT

Hybrid glaze of nano-acrylates and polyurethane, for mineral bases in a colorless base. It acts as a consolidant for Mixol tints. Permeable to water vapor, it can be diluted with up to 3 parts of water to create less intense colors.

PACKAGING: 5L - 10L

REF: 1114 - 5L  
REF: 1115 - 10L



### EST-MULTIPOL COLOR

Mineral potassium silicate in gel format with a colored base. Ready-to-use preparation, it can be applied directly onto mineral bases for pigmentation. It allows for the addition of Mixol tint to modify its color or a colorless base to reduce the intensity. Color chart.

PACKAGING: 5L - 10L

REF: 1116 - 5L  
REF: 1117 - 10L



### EST-DECOR

Mineral powder patinas. Available in 8 colors, they can be mixed with each other to obtain different shades. Apply onto the mortar while it is still fresh (wet/setting); they allow for the creation of decorative effects with textures. Color chart.

PACKAGING: 1KG - 3KG - 10KG - 20KG

REF: 1118 - 1KG  
REF: 1119 - 3KG  
REF: 1120 - 10KG  
REF: 1121 - 20KG



### EST-MINERAL PIGMENT

Pure mineral powder pigment for tinting mortar and concrete. Great pigmentation power; they must be mixed when the mortar is being blended with water to achieve a homogeneous color. Color chart.

PACKAGING: 1KG - 5KG - 10KG

REF: 1122 - 1kg  
REF: 1123 - 5kg  
REF: 1124 - 10KG







## MIXOL

Universal mineral tint for mixing with the consolidants of the ESTonetex System. Mixol tints can be mixed together to create different color shades; the metallic range and oxyde colors are suitable for both indoor and outdoor use. Resistant to UV light and weathering.

PACKAGING: 200GR - 500GR

REF: 1125 - 200GR  
REF: 1126 - 500GR

<b>22</b>	Tabaco óxido		<b>3</b>	
<b>23</b>	Marrón oscuro óxido		<b>4</b>	
<b>24</b>	Gris piedra óxido		<b>5</b>	
<b>25</b>	Blanco óxido		<b>14</b>	
<b>29</b>	Negro óxido élite		<b>19</b>	
<b>30</b>	Amarillo óxido élite		<b>20</b>	
<b>31</b>	Verde óxido élite		<b>21</b>	
<b>32</b>	Azul óxido élite			
	Marrón ciervo óxido			
	Rojo óxido			
	Ocre óxido			
	Verde óxido			
	Camel óxido			
	Castaño óxido			
	Marrón tierra óxido			

# COLOR CHART

PIGMENTS

EST-26 MULTILITE - EST-SILCOPIN - EST-MONOCROM - EST-MONPIL - EST-MULTIPOL



# COLOR CHART

PIGMENTS

EST-26 MULTILITE - EST-SILCOPIN - EST-MONOCROM - EST-MONPIL - EST-MULTIPOL



20 MARRÓN OSCURO



21 CASTAÑO



22 GRIS HORMIGÓN



23 NEGRO



24 MARRÓN



25 GRIS CEMENTO



26 CREMA



27 AVELLANA



28 AZUL ÉLITE



29 BURDEOS ÉLITE



30 VERDE ÉLITE



31 CEREZA ÉLITE



32 C82645



33 F21070



34 F21565



35 F60674



36 F60777



37 F61070



38 F61074



39 F61565

# COLOR CHART

PIGMENTS

## EST-DECOR



CUERO



TERRACOTA



ARCILLA



GRAFITO




CENIZA



BLANCO



OCRE



MUSGO

## EST-MINERAL PIGMENT



NEGRO 51



PARDO 45



VERDE 60



AMARILLO 170



ROJO 3130



BLANCO 00



### EST-3 PLUS N

Mineral water-repellent, anti-algae and oil-repellent, based on siloxanes and nano-silanes. Thanks to its nanotechnology, it penetrates into the mineral substrate, regulating water absorption while allowing it to breathe. It does not alter the color or gloss of the surface, so it is completely colorless once applied. Suitable for both indoor and outdoor use.

PACKAGING: 1L - 5L - 10L

REF: 1200 - 1L  
REF: 1201 - 5L  
REF: 1202 - 10L



### EST-7

Drying mineral water-repellent based on siloxanes and nano-silanes. Thanks to its nanotechnology, it penetrates into the mineral substrate and is breathable. It does not alter the color or gloss of the surface, so it is completely colorless once applied. Especially designed for damp surfaces and heritage restoration.

PACKAGING: 1L - 5L - 10L

REF: 1203 - 1L  
REF: 1204 - 5L  
REF: 1205 - 10L



### EST-MULTILITIO

Lithium silicate for consolidating mineral surfaces. It allows the substrate to breathe and is compatible with moisture. Specially designed for application on natural stone and polished concrete floors.

PACKAGING: 1L - 5L - 10L

REF: 1206 - 1L  
REF: 1207 - 5L  
REF: 1208 - 10L




### EST-FLOOR

It is a water-based varnish for decorative and industrial flooring and stamped concrete. It creates a protective film that improves curing. It has good adhesion on porous substrates and mineral bases, as well as good overall chemical and mechanical resistance. Ideal for outdoor use.

PACKAGING: 5L - 25L

REF: 1209 - 5L  
REF: 1210 - 25L




### EST-MESH 80GR

80 g/m<sup>2</sup> fiberglass mesh roll, 50M long and 1M wide, ideal for mortars, renders and mortars with coarse aggregate. Perfect for ESTonetex TXT and ESTonetex Park mortars, it helps reinforce surfaces and prevents the appearance of cracks. Color white,

PACKAGING: 50M2

REF: 1300 - ROLL



### MESH 110GR

110 g/m<sup>2</sup> fiberglass mesh roll, 50M long and 1M wide, ideal for mortars, renders and mortars with coarse aggregate. Perfect for ESTonetex TXT and ESTonetex Park mortars, it helps reinforce surfaces and prevents the appearance of cracks. Color white,

PACKAGING: 50M2

REF: 1301 - ROLL




### MESH TRAMAGLASS 160GR

160 g/m<sup>2</sup> fiberglass mesh roll, 50M long and 1.1M wide, for mortars, renders and mortars with fine aggregate. Ideal for ETICS (SATE system) and applications on EPS and XPS polystyrene.

PACKAGING: 55M2

REF: 1302 - ROLL



### MESH TRAMAGLASS 145GR

145 g/m<sup>2</sup> fiberglass mesh roll, 50M long and 1M wide, for mortars, renders and mortars with fine aggregate. Ideal for ETICS (SATE system) and applications on EPS and XPS polystyrene.

PACKAGING: 50M2

REF: 1303 - ROLL




## MESH 160 GR SATE

160 g/m<sup>2</sup> fiberglass mesh roll, 50M long and 1M wide, for mortars, renders and mortars with fine aggregate. Ideal for ETICS (SATE system) and applications on EPS and XPS polystyrene.

PACKAGING: 50M2

REF: 1304 - ROLL



## MESH 330GR

330 g/m<sup>2</sup> fiberglass mesh roll, 25M long and 1M wide. Used as a coating for rebar structures in the creation of artificial rock and waterfalls. It can also be used as a reinforcing mesh in the lower areas of walls and façades.

PACKAGING: 25M2

REF: 1305 - ROLL




## MESH 220GR

220 g/m<sup>2</sup> fiberglass mesh roll, 50M long and 1M wide. Used as a coating for rebar structures in the creation of artificial rock and waterfalls. It can also be used as a reinforcing mesh in the lower areas of walls and façades.

PACKAGING: 50M2

REF: 1306 - ROLL



## MESH 45GR

45 g/m<sup>2</sup> fiberglass mesh roll, 50 m long and 1 m wide. Used as reinforcement for waterproofing terraces or floors, and can also be used with mortars with very fine aggregate.

PACKAGING: 50M2

REF: 1307 - ROLL




### **MESH TRAMAGLASS 75GR**

75 g/m<sup>2</sup> fiberglass mesh roll, 50 m long and 1 m wide. Used to reinforce surfaces coated with microcement, fine-aggregate mortars and plasters.

PACKAGING: 50M2

REF: 1308 - ROLL




### **FIBERGLASS VEIL**

45 g/m<sup>2</sup> fiberglass veil roll, 50 m long and 1 m wide. Used to reinforce surfaces coated with stuccos, fillers or paints, ideal for repairing existing cracks in floors and walls.

PACKAGING: 50M2

REF: 1309 - ROLL




### **MESH TRAMAGLASS SGR 96**

120 g/m<sup>2</sup> fiberglass mesh roll, 50 m long and 1.1 m wide. Used to reinforce pavements and floors made with mortar, concrete and self-levelling mortar.

PACKAGING: 55M2

REF: 1310 - ROLL



### **MESH TRAMAGLASS SGR 120**

153 g/m<sup>2</sup> fiberglass mesh roll, 50 m long and 1.1 m wide. Used to reinforce pavements and floors made with mortar, concrete and self-levelling mortar.

PACKAGING: 55M2

REF: 1311 - ROLL



### **MESH TAPE 65GR**

Self-adhesive fiberglass mesh tape, 120 g/m<sup>2</sup>, 23 m long and 15 cm wide. Used to reinforce plasterboard or fibre cement boards, and also to repair existing cracks in floors or walls.

PACKAGING: BOX OF 12 UNITS

REF: 1312 - BOX



### **FIXING ANCHORS 70MM LTX-70**

Hammer-in mechanical fixing plug with a 70 mm long polyamide nail reinforced with fiberglass, used to mechanically anchor EPS/XPS boards or to fasten mesh on surfaces with poor adhesion.

PACKAGING: BOX OF 200 UNITS

REF: 1313 - BOX



### **STAPLES FOR PNEUMATIC STAPLER**

Galvanized RT-C23 ring staples for pneumatic staplers, boxes of 10,000 units.

PACKAGING: BOX OF 10.000 UNITS

REF: 1314 - BOX



### **STAPLES FOR MANUAL STAPLER**

Galvanized A20 ring staples for manual staplers, boxes of 1,000 units.

PACKAGING: BOX OF 1.000 UNITS

REF: 1315 - BOX



## EST-DESMOLDEANTE

Liquid release agent to prevent adhesion on stamps, rollers and tools. It has high volatility, so it does not create surface layers or cause stains on white surfaces.

PACKAGING: 5L - 25L

REF: 1400 - 5L  
REF: 1401 - 25L



## EST-12

Water-based concentrated detergent cleaner, free of chlorine and formaldehyde, biodegradable and compatible with moisture. Wide range of applications and sectors, suitable for both indoor and outdoor use on horizontal and vertical surfaces. Especially recommended for historic heritage restoration.

PACKAGING: 1L - 5L - 10L

REF: 1402 - 1L  
REF: 1403 - 5L  
REF: 1404 - 10L



## EST-EPS ELASTIC

Concentrated multifunction additive in aqueous dispersion of pure acrylates and polyurethane. It improves the protective, waterproofing, compaction and overall strength properties of mortars in the ESTonetex System. Add to the mixing water of the mortars.

PACKAGING: 5L - 10L - 25L

REF: 1405 - 5L  
REF: 1406 - 10L  
REF: 1407 - 25L



## EST-S IMPRIMER

Single-component bonding primer coating based on synthetic resins, siliceous mineral fillers and organic and inorganic additives. Specially formulated as a bonding primer for mortars on smooth and/or non-absorbent substrates. It can be mixed with 1 part of water.

PACKAGING: 5KG - 15KG

REF: 1408 - 5KG  
REF: 1409 - 15KG

### EST-GEL CAL



Lime plasticiser to improve the workability of cement mortars, specially designed for mortar used to grout stone and brick.

PACKAGING: 2L

REF: 1410 - 2L

---

### EST-FAST



It is an admixture for reinforced mortars and concretes that reduces setting time, increases early strength, reduces shrinkage and improves workability. It has been specially designed to enhance the cement hydration process at early ages.

PACKAGING: 1L - 5L - 25L

REF: 1411 - 1L

REF: 1412 - 5L

REF: 1413 - 25L

---

### EST-SLOW



It is a liquid admixture for mortars and concretes that delays the start of setting without altering the final strength. It can be used with any type of cement.

PACKAGING: 1L - 5L - 25L

REF: 1414 - 1L

REF: 1415 - 5L

REF: 1416 - 25L

---

### EST-COLD



It is an anti-freeze admixture for mortars and concretes that is effective down to -10°C, allowing mortar application or concrete pouring at low temperatures.

PACKAGING: 1L - 5L - 25L

REF: 1417- 1L

REF: 1418 - 5L

REF: 1419 - 25L

# ESTonetex Tools

## for Theming Works



## MM1

Wood and tree trunk texture stamp.  
Plastic handle.  
Semi flexible.



MEASURES: 40 X 20 CM



REF: 2000

---

## MM2

Rustic wood and tree bark texture stamp.  
Fabric handle.  
Semi flexible.



MEASURES: 40 X 33 CM

REF: 2001

---

## MM3

Rustic wood texture and wooden beam stamp.  
Fabric handle.  
Semi flexible.



MEASURES: 38 X 55 CM

REF: 2002

---

## MM4

Rustic wood texture and wooden beam stamp.  
Fabric handle.  
Semi flexible.



MEASURES: 60 x 20 CM

REF: 2003



## MM5

Rustic wood texture and wooden beam stamp.  
Fabric handle.  
Flexible.

MEASURES: 103 x 26 CM



REF: 2004



## MM6

Rustic wood texture and wooden beam stamp.  
Fabric handle.  
Flexible.

MEASURES: 108 X 24 CM



REF: 2005




## MM7

Rustic wood and tree bark texture stamp.  
Fabric handle.  
Semi flexible.

MEASURES: 24 X 32 CM



REF: 2006



## MM8

Tree bark and palm tree texture stamp.  
Fabric handle.  
Semi flexible.

MEASURES: 33 x 41 CM



REF: 2007



## MM9

Tree bark and palm tree texture stamp.  
Fabric handle.  
Semi flexible.

MEASURES: 40 X 50 CM



REF: 2008




## MM10

Burnt wood texture with wooden beam stamp.  
Fabric handle.  
Flexible.

MEASURES: 23 X 59 CM



REF: 2009



## MM11

Pine tree bark texture stamp.  
Fabric handle.  
Flexible.

MEASURES: 47 X 57 CM



REF: 2010




## MM12

Tree trunk texture stamp.  
Fabric handle.  
Flexible.

MEASURES: 34 X 37 CM



REF: 2011



## MM13

Oak tree bark texture stamp.  
Fabric handle.  
Semi flexible.

MEASURES: 55 X 55 CM



REF: 2012



## N1

Tree knot texture stamp.  
Rigid.

MEASURES: 4 X 4 CM



REF: 2013



## N2

Tree knot texture stamp.  
Rigid.

MEASURES: 8 X 14 CM



REF: 2014



## N3

Tree knot texture stamp.  
Semi flexible.

MEASURES: 10 X 34 CM



REF: 2015



## RM1

Wood and wooden beam texture roller.



MEASURES: 32 X 20 CM

REF: 2016



## RM2

Wood, rustic wood and tree bark texture roller.



MEASURES: 34 X 25 CM

REF: 2017



## RM3

Wood and wooden beam texture roller.



MEASURES: 32 X 24 CM

REF: 2018



## KM1

Kit consisting of roller, stamp and knot for creating wood and beam textures. Stamp with fabric handle.



MEASURES ROLLER: 34 X 25 CM

MEASURES STAMP: 21 X 15 CM

MEASURES KNOT: 8 X 5 CM

REF: 2019



## KM2

Kit consisting of roller, stamp and knot for creating wood and beam textures.  
Stamp with fabric handle.

MEASURES ROLLER: 35 x 26 CM  
MEASURES STAMP: 19 X 13 CM  
MEASURES BIG KNOT: 14 X 8 CM  
MEASURES SMALL KNOT: 4 X 4 CM




REF: 2020



## KM3

Kit consisting of roller, stamp for creating wood and beam textures.  
Stamp with fabric handle.

MEASURES ROLLER: 34 X 25 CM  
MEASURES STAMP: 21 X 15 CM



REF: 2021



# ROCK AND STONE STAMPS




## L1

Limestone stone and rock texture stamp.  
Plastic handle.  
Rigid.

MEASURES: 28 X 15 CM



REF: 2100



## L2

Volcanic stone and rock texture stamp.  
Plastic handle.  
Rigid.

MEASURES: 30 X 16 CM



REF: 2101



## L3

Limestone, sandstone and rock texture stamp.  
Plastic handle.  
Rigid.

MEASURES: 28 x 15 CM



REF: 2102



## L4

Flagstone, slate stone and rock texture stamp.  
Plastic handle.  
Rigid.

MEASURES: 29 X 17 CM



REF: 2103




L5

Limestone, sandstone and rock texture stamp.  
Plastic handle.  
Rigid.

MEASURES: 28 X 15 CM



REF: 2104



L6

Marine stone, volcanic stone and  
porous rock texture stamp.  
Plastic handle.  
Rigid.

MEASURES: 34 X 24 CM



REF: 2105



L7

Ashlar stone and sandstone texture  
stamp.  
Plastic handle.  
Rigid.

MEASURES: 38 X 26 CM



REF: 2106



L8

Ashlar stone and sandstone texture  
stamp.  
Plastic handle.  
Rigid.

MEASURES: 28 X 28 CM



REF: 2107



**L9**

Flagstone, limestone and rock texture stamp.  
Plastic handle.  
Rigid.

MEASURES: 33 X 23 CM



REF: 2108



**L10**

Flagstone, limestone and rock texture stamp.  
Plastic handle.  
Rigid.

MEASURES: 34 X 23 CM



REF: 2109



**L11**

Limestone and sandstone texture stamp.  
Plastic handle.  
Rigid.

MEASURES: 32 X 28 CM



REF: 2110



**L12**

Limestone and rock texture stamp.  
Plastic handle.  
Rigid.

MEASURES: 33 X 26 CM



REF: 2111



**L13**

Flagstone, limestone and rock texture stamp.  
Plastic handle.  
Rigid.

MEASURES: 33 X 23 CM



REF: 2112



**L14**

Flagstone, limestone and rock texture stamp.  
Plastic handle.  
Rigid.

MEASURES: 30 X 25 CM



REF: 2113




**RL1**

Brick texture roller.

MEASURES: 32 X 19 CM



REF: 2114



**PLACA RL1**

Brick texture stamp.  
Semi flexible.

MEASURES: 6,5 X 21 CM



REF: 2115

# ROCK AND STONE STAMPS



## RP1

Stone and rock texture roller.

MEASURES: 32 X 20 CM



REF: 2116



## RP2

Stone and rock texture roller.

MEASURES: 31 X 21 CM



REF: 2117



## RP3

Stone and rock texture roller.

MEASURES: 32 X 20 CM



REF: 2118



## RP4

Stone and rock texture roller.

MEASURES: 32 X 24 CM



REF: 2119



**RP5**

Stone and rock texture roller.

MEASURES: 32 X 23 CM



REF: 2120



**RP6**

Stone and rock texture roller.

MEASURES: 33 X 23 CM



REF: 2121



**RP7**

Stone and rock texture roller.

MEASURES: 32 X 23 CM



REF: 2122



**RP8**

Stone and rock texture roller.

MEASURES: 32 X 23 CM



REF: 2123



**RP9**

Stone and rock texture roller.

MEASURES: 32 X 23 CM



REF: 2124



**RT01**

Stone and rock texture roller.

MEASURES: 26 X 12 CM



REF: 2125



**RT02**

Stone and rock texture roller.

MEASURES: 24 X 7 CM



REF: 2126



**KPR1**

Stone and rock texture roller kit.

MEASURES Big Roller: 26 X 12 CM  
MEASURES Small Roller: 24 X 7 CM



REF: 2127

**MP1**




Limestone, and rock texture stamp.  
Fabric handle.  
Semi flexible.



MEASURES: 54 X 37 CM

REF: 2128

**MP2**



Flagstone, slate stone and rock  
texture stamp.  
Fabric handle.  
Semi flexible.



MEASURES: 56 X 36 CM

REF: 2129

**MP3**



Limestone, and rock texture stamp.  
Fabric handle.  
Semi flexible.



MEASURES: 43 X 43 CM

REF: 2130

**MP4**



Limestone, and rock texture stamp.  
Fabric handle.  
Semi flexible.



MEASURES: 43 X 42 CM

REF: 2131



**MP5**

Limestone, sandstone and rock texture stamp.  
Fabric handle.  
Semi flexible.

MEASURES: 52 X 30 CM



REF: 2132



**MP6**

Flagstone, slate stone and rock texture stamp.  
Fabric handle.  
Flexible.

MEASURES: 52 X 47 CM



REF: 2133




**MP7**

Koral, and marine rock texture stamp.  
Fabric handle.  
Rigid.

MEASURES: X CM



REF: 2134




**MF1**

Limestone, and rock texture stamp.  
Silicone handle.  
Flexible.

MEASURES: 72 X 39 CM



REF: 2135



**MF2**

Limestone, and rock texture stamp.  
Silicone handle.  
Flexible.

MEASURES: 76 X 43 CM



REF: 2136



**MF3**

Flagstone, slate stone and rock  
texture stamp.  
Silicone handle.  
Flexible.

MEASURES: 76 X 43 CM



REF: 2137



**MF4**

Flagstone, slate stone and rock texture  
stamp.  
Silicone handle.  
Flexible.

MEASURES: 73 X 32 CM



REF: 2138



**MF5**

Limestone, and rock texture stamp.  
Silicone handle.  
Flexible.

MEASURES: 76 X 43 CM



REF: 2139



**KP1**

Kit consisting of roller and stamp for creating stone and rock textures.  
Stamp with fabric handle.

MEASURES ROLLER: 32 X 20 CM  
MEASURES STAMP: 21 X 13 CM



REF: 2140



**KP2**

Kit consisting of roller and stamp for creating stone and rock textures.  
Stamp with fabric handle.

MEASURES ROLLER: 34 X 25 CM  
MEASURES STAMP: 21 X 15 CM



REF: 2141



**KP3**

Kit consisting of roller and stamp for creating stone and rock textures.  
Stamp with fabric handle.

MEASURES ROLLER: 34 X 26 CM  
MEASURES STAMP: 23 X 21 CM



REF: 2142




**KP4**

Kit consisting of roller and stamp for creating stone and rock textures.  
Stamp with fabric handle.

MEASURES ROLLER: 34 X 27 CM  
MEASURES STAMP: 24 X 21 CM



REF: 2143



**KP5**

Kit consisting of roller and stamp for creating stone and rock textures.  
Stamp with fabric handle.

MEASURES ROLLER: 34 X 26 CM  
MEASURES STAMP: 23 X 22 CM



REF: 2144



**KP6**

Kit consisting of roller and stamp for creating stone and rock textures.  
Stamp with fabric handle.

MEASURES ROLLER: 32 X 20 CM  
MEASURES STAMP: 24 X 20 CM



REF: 2145



**KP7**

Kit consisting of roller and stamp for creating stone and rock textures.  
Stamp with fabric handle.

MEASURES ROLLER: 32 X 24 CM  
MEASURES STAMP: 23 X 22 CM



REF: 2146



**KP8**

Kit consisting of roller and stamp for creating stone and rock textures.  
Stamp with fabric handle.

MEASURES ROLLER: 32 X 24 CM  
MEASURES STAMP: 30 X 24 CM



REF: 2147



**KP9**

Kit consisting of roller and stamp for creating stone and rock textures.  
Stamp with fabric handle.

MEASURES ROLLER: 34 X 26 CM  
MEASURES STAMP: 29 X 26 CM



REF: 2148



**KP10**

Kit consisting of roller and stamp for creating stone and rock textures.  
Stamp with fabric handle.

MEASURES ROLLER: 34 X 26 CM  
MEASURES STAMP: 29 X 23 CM



REF: 2149



**MR1**

Limestone, flagstone and rock texture stamp.  
Plastic handle.  
Semi flexible.

MEASURES : 23 X 21 CM



REF: 2150



**MR2**

Limestone, sandstone and rock texture stamp.  
Plastic handle.  
Semi flexible.

MEASURES: 24 X 21 CM



REF: 2151



### MR3

Limestone, sandstone and rock texture stamp.  
Plastic handle.  
Semi flexible.

MEASURES: 23 X 22 CM



REF: 2152



### MR4

Limestone, sandstone and rock texture stamp.  
Plastic handle.  
Semi flexible.

MEASURES: 24 X 20 CM



REF: 2153



### MR5

Limestone, volcanic stone and rock texture stamp.  
Plastic handle.  
Semi flexible.

MEASURES : 23 X 22 CM



REF: 2154



### MR6

Limestone, flagstone and rock texture stamp.  
Plastic handle.  
Semi flexible.

MEASURES: 30 X 24 CM



REF: 2155



**MR7**

Limestone, sandstone and rock texture stamp.  
Plastic handle.  
Semi flexible.

MEASURES: 29 X 26 CM



REF: 2156




**MR8**

Limestone, flagstone and rock texture stamp.  
Plastic handle.  
Semi flexible.

MEASURES: 29 X 23 CM



REF: 2157



**ESTONE MARES KIT**

3-piece kit for creating and marking dry-joint stone textures.  
Flexible.

MEASURES (1 piece): 244 X 41 x 4 CM

MEASURES (Kit): 244 X 123 x 4 CM



REF: 2158





### EVEREST TROWEL 1

Semi-flexible stainless steel trowel with irregular edges and an ergonomic polypropylene and elastomer handle, for creating decorative textures and rock effects on mortar.



MEASURES: 300 X 150 X 0,6 MM

REF: 2200



### EST TROWEL 1

Semi-flexible stainless steel trowel with rounded tips and an ergonomic polypropylene and elastomer handle, for shaping and creating decorative textures on mortar.



MEASURES: 230 X 75 X 0.6 MM

REF: 2201



### EST TROWEL 2

Semi-flexible stainless steel trowel with triangular tip and an ergonomic polypropylene and elastomer handle, for shaping and creating decorative textures on mortar.



MEASURES: 210 X 60 X 0.6 MM

REF: 2202



### EST TROWEL 3

Semi-flexible stainless steel trowel with rounded tips and an ergonomic polypropylene and elastomer handle, for shaping and creating decorative textures on mortar.



MEASURES: 350 X 100 X 0.6 MM

REF: 2203



### EVEREST SPATULA 1

Semi-flexible stainless steel spatula with irregular edges and an ergonomic polypropylene and elastomer handle, for creating decorative textures and rock effects on mortar.

MEASURES: 230 X 120 X 0,5 MM



REF: 2204



### EST CURVED SPATULA 1

Semi-flexible stainless steel spatula with a curved shape and an ergonomic polypropylene and elastomer handle, for applying mortar and collecting mortar from the bucket.

MEASURES: 230 X 280 X 0,5 MM



REF: 2205



### EST CURVED SPATULA 2

Semi-flexible stainless steel spatula with a curved shape and an ergonomic polypropylene and elastomer handle, for modelling and carving mortar.

MEASURES: 230 X 30 X 0,5 MM



REF: 2206



### EST MALETIN N1

Orange case for storing and transporting tools, stamps, rollers and trowels. Tools shown in the picture are not included.

MEASURES: 390 X 300 X 180 MM



REF: 2207

## EST SPRAY PREMIUM



Plastic spray bottle with 1.5 L capacity for applying ESTonetex System pigmentation and sealer products.



MEASURES: 230 X 120 X 0,5 MM

REF: 2208

## EST SPRAY BASIC



Plastic spray bottle with 1.5 L capacity for applying water and low-residue liquids.



MEASURES: 230 X 280 X 0,5 MM

REF: 2209

## EST TOOL KIT N1



Tool kit with case, including:

- EST Maletin N1
- EVEREST Trowel 1
- EST Trowel 1
- EST Trowel 2
- EST Trowel 3
- EVEREST Spatula 1
- EST Curved Spatula 1
- EST Curved Spatula 2
- Wire brush (plastic handle)
- 5m measure tape
- 18 mm reinforced cutter
- 14 cm premium plaster spatula
- 8 cm rounded stucco spatula
- 7,5 cm multipurpose scraper
- 30 x 15 cm bricklayer's trowel



REF: 2210

## EST TOOL KIT N2



Tool kit with case, including:

- EST Maletin N1
- EVEREST Trowel 1
- EST Trowel 1
- EST Trowel 2
- EST Trowel 3
- EVEREST Spatula 1
- EST Curved Spatula 1
- EST Curved Spatula 2



REF: 2211

## EPS CUTTING TOOLS



### EST EPS KNIFE

200 W hot knife for cutting EPS/XPS, with temperature regulator and safety spring switch. Reaches up to 600 °C. Includes 15 cm rigid blade, cleaning brush and wrench.

MEASURES: 275 GR



REF: 2300



### EST ARCH CUTTER

Battery-powered hot wire cutting bow for polystyrene. Clean hot wire cutting without polystyrene detachment. Maximum cutting depth: 330 mm. Maximum cutting width: 1320 mm. Batteries: 18 V / 2.0 Ah

MEASURES: 140 X 10 X 35 CM



REF: 2301



### EST EPS CUTTER KIT

48 V – 480 W power supply with temperature regulator, switch and 4 mm terminals. Input voltage: 110 V – 220 V. Output voltage: 48 V. Maximum power: 480 W. The handles are 45 cm long. The handle cable length is 150 cm. Includes handles and wire.

MEASURES: 1900 GR



REF: 2302



### EST ARCH CUTTER 35CM

35 cm hot wire bow for cutting expanded polystyrene (EPS). Very light and handy. Recommended power supply: 24 V – 200 W. Transformer sold separately. Allows cuts up to 32 cm wide and 20 cm deep.

MEASURES: 130 GR



REF: 2303

### EST POWER SUPPLY

48 V - 480 W power supply with temperature regulator, switch and 4 mm terminals.  
Input voltage: 110 V - 220 V.  
Output voltage: 48 V.  
Suitable for connecting hot wire cutting bows, cutting tables, hot wire cutting tools and CNC machines.

MEASURES: 24 X 20 x 10 CM



REF: 2304



### EST RIGID BLADE 15 CM

15cm rigid blade for cutting and emptying expanded polystyrene (EPS), extruded polystyrene (XPS), polystyrenes and foams of any density.



MEASURES: 150 X 15 X 1 MM

REF: 2305

### EST RIGID BLADE 20 CM

20cm rigid blade for cutting and emptying expanded polystyrene (EPS), extruded polystyrene (XPS), polystyrenes and foams of any density.



MEASURES: 200 X 15 X 1 MM

REF: 2306

### EST NICHROME WIRE 1,5MM

1.5 mm thick nichrome hot wire for cutting polystyrene.  
Available in 1 m spools.  
Ideal for hot cutting, suitable for EST EPS CUTTER.



MEASURES: 1M - 1,5MM



REF: 2307



### EST NICHROME WIRE 0,15MM

0.15 mm thick nichrome hot wire for cutting polystyrene.  
Available in 15 m spools.  
Ideal for hot cutting, suitable for EST EPS CUTTER KIT.

MEASURES: 15M - 0,15MM



REF: 2308



### EST NICHROME WIRE 0,25MM

0.25 mm thick nichrome hot wire for cutting polystyrene.  
Available in 6 m spools.  
Ideal for hot cutting, suitable for EST EPS CUTTER KIT.

MEASURES: 6M - 0,25MM



REF: 2309



### EST NICHROME WIRE 0,40MM

0.40 mm thick nichrome hot wire for cutting polystyrene.  
Available in 6 m spools.  
Ideal for hot cutting, suitable for EST EPS CUTTER KIT.

MEASURES: 6M - 0,40MM



REF: 2310



### EST NICHROME WIRE 0,65MM

0.65 mm thick nichrome hot wire for cutting polystyrene.  
Available in 6 m spools.  
Ideal for hot cutting, suitable for EST EPS CUTTER KIT.

MEASURES: 6M - 0,65MM



REF: 2311

### 8CM ROUNDED STUCCO SPATULA



Semi-flexible stainless steel spatula with rounded tips and an ergonomic polypropylene and elastomer handle, for modelling and carving mortar.

MEASURES: 230 X 80 X 1.2 MM



REF: 2400

### 14CM PREMIUM PLASTER SPATULA



Semi-flexible stainless steel spatula with rounded tips and an ergonomic polypropylene and elastomer handle, for modelling and applying mortar.

MEASURES: 230 X 280 X 0.5 MM



REF: 2401

### 7.5CM MULTIPURPOSE SCRAPER



Rigid stainless steel spatula with an ergonomic polypropylene and elastomer handle, for removing paint, foam, cement and other material residues.

MEASURES: 230 X 75 X 1.8 MM



REF: 2402

### 30X15CM BRICKLAYER'S TROWEL



Rigid stainless steel trowel with wooden handle, for applying mortars and smoothing surfaces.

MEASURES: 300 X 150 X 1.8 MM



REF: 2403

## 5M MEASURE TAPE



Tape measure, a measuring instrument up to 5 meters. It is flexible and comfortable.



MEASURES: 8 X 7 X 3 CM

REF: 2404

## WIRE BRUSH (PLASTIC HANDLE)



Wire brush with plastic handle for theming work, decoration and masonry.



MEASURES: 26 X 3 X 2 CM

REF: 2405

## 18 MM REINFORCED CUTTER



Reinforced cutter with 18 mm blade, with a bi-material ergonomic handle and replaceable blade. Easy disassembly with safety wheel and high-quality construction.



MEASURES: 4 x 17 x 2 CM

REF: 2406

## 19 CM SMALL POOL TROWEL



Rigid stainless steel trowel with rounded tips and wooden handle, for shaping and smoothing mortar.



MEASURES: 190 X 100 X 100 MM

REF: 2407

### 5CM ESSENTIAL SPATULA



Flexible 50 mm stainless steel spatula with plastic handle.

MEASURES: 200 X 50 X 1 MM



REF: 2408

---

### CURVED STEEL TROWEL



Curved steel trowel with wooden handle, for applying, shaping and carving mortar.



MEASURES: 180 x 90 X 15 MM

REF: 2409

---

### RECTANGULAR STEEL TROWEL



Rectangular steel trowel with wooden handle, for applying, shaping and carving mortar.



MEASURES: 130 x 50 X 15 MM

REF: 2410

---

### PREMIUM SWISS-SHAPE SPATULA



Stainless steel spatula with wooden handle, for carving and shaping mortar.

MEASURES: 200 X 20 X 1 MM



REF: 2411

### BIG CURVED SCRAPER



Big curved scraper with wooden handle and steel blade, 10 cm long, for carving mortar, especially dry-joint stone or creating cracks in rock.

MEASURES: 200 X 30 X 30 MM



REF: 2412

### SMALL CURVED SCRAPER



Small curved scraper with wooden handle and steel blade, 8 cm long, for carving mortar, especially dry-joint stone or creating cracks in rock.

MEASURES: 180 X 30 X 30 MM



REF: 2413

### 40 CM POOL TROWEL



Rigid stainless steel trowel with rounded tips and wooden handle, for shaping and smoothing mortar.

MEASURES: 400 X 100 X 80 MM



REF: 2414

### SYRINGE 60ML



60 ml plastic measuring syringe with 5 cm needle and protective cap. For measuring all types of liquids.

MEASURES: 200 X 40 X 40 MM



REF: 2415

### 50 CM FILLING SPATULA

50 cm filling blade with ergonomic handle and 1 mm thick rigid stainless steel blade.

For levelling and smoothing surfaces with cement mortars, plaster, gypsum, lime mortar, etc.



MEASURES: 50 X 22 X 1 CM

REF: 2416

### 60 CM FILLING SPATULA

60 cm filling blade with ergonomic handle and 1 mm thick rigid stainless steel blade.

For levelling and smoothing surfaces with cement mortars, plaster, gypsum, lime mortar, etc.



MEASURES: 60 X 22 X 1 CM

REF: 2417

### 50 CM FILLING SPATULA WITH HANDLE

60 cm filling blade with 2 handles and 1 mm thick rigid stainless steel blade. For levelling and smoothing surfaces with cement mortars, plaster, gypsum, lime mortar, etc.



MEASURES: 50 X 22 X 10 CM

REF: 2418

### 60 CM FILLING SPATULA WITH HANDLE

50 cm filling blade with 2 handles and 1 mm thick rigid stainless steel blade. For levelling and smoothing surfaces with cement mortars, plaster, gypsum, lime mortar, etc.



MEASURES: 60 X 22 X 10 CM

REF: 2419

### BRICK JOINTER 1



Brick jointers with steel head and wooden handle, for scraping joint mortar, creating decorative effects and carving mortar.

MEASURES: 35 X 180 X 25 MM



REF: 2420

### BRICK JOINTER 2



Brick jointers with steel head and wooden handle, for scraping joint mortar, creating decorative effects and carving mortar.

MEASURES: 25 X 175 X 25 MM



REF: 2421

### BRICK JOINTER 3



Brick jointers with steel head and wooden handle, for scraping joint mortar, creating decorative effects and carving mortar.

MEASURES: 25 X 175 X 25 MM



REF: 2422

### BRICK JOINTER 4



Brick jointers with steel head and wooden handle, for scraping joint mortar, creating decorative effects and carving mortar.

MEASURES: 25 X 180 X 25 MM



REF: 2423

### BRICK JOINTER 5



Brick jointers with steel head and wooden handle, for scraping joint mortar, creating decorative effects and carving mortar.

MEASURES: 25 X 180 X 25 MM



REF: 2424

### BRICK JOINTER 6



Brick jointers with steel head and wooden handle, for scraping joint mortar, creating decorative effects and carving mortar.

MEASURES: 25 X 180 X 25 MM



REF: 2425

### BRICK JOINTER 7



Brick jointers with steel head and wooden handle, for scraping joint mortar, creating decorative effects and carving mortar.

MEASURES: 25 X 180 X 25 MM



REF: 2426

### BRICK JOINTER 8



Brick jointers with steel head and wooden handle, for scraping joint mortar, creating decorative effects and carving mortar.

MEASURES: 25 X 180 X 25 MM



REF: 2427

### MARKER

19 cm steel marking tool with wooden handle.



MEASURES: 190 X 25 X 25 MM

REF: 2428

### TEXTURE RAKE

Plastic rake with wooden handle for creating textures on vertical surfaces.



MEASURES: 370 X 140 X 110 MM

REF: 2429

### FINE SCRATCHING COMB

Scoring comb with fine hardened steel teeth.  
The teeth measure 10.5 x 6.5 cm.  
For scoring mortars, plasters or other materials to create a mechanical anchorage.



MEASURES: 120 X 120 X 20 MM

REF: 2430

### FINE BROOM

Fine brush with plastic bristles.  
Ideal for creating textures in mortar and for cleaning in all types of work.



MEASURES: 300 X 80 X 140 MM

REF: 2431

### MEDIUM BROOM



Medium brush with plastic bristles.  
Ideal for creating textures in mortar and for cleaning in all types of work.

MEASURES: 29 X 6 X 13 CM



REF: 2432

### THICK BIG BROOM



Big brush with plastic bristles.  
Ideal for creating textures in mortar and for cleaning in all types of work.

MEASURES: 50 X 7 X 12 CM



REF: 2433

### PIPING BAGS



Grouting bags, suitable for use with any type of mortar.  
High quality; they can be cut wherever desired to achieve the required width.  
The bags are 65 cm long and come in boxes of 100 units.

MEASURES: 35 X 9 X 9 CM



REF: 2434

### ALUMINIUM HAWK



33 x 33 cm aluminium hawk with wooden handle.  
For masonry, theming and decorative work.

MEASURES: 33 X 33 X 13 CM



REF: 2435

### RELEASE SPRAY



1L refillable plastic spray bottle.  
Suitable for solvents, release  
agents, water repellents, water,  
etc.

MEASURES: 10 X 10 X 29 CM



REF: 2436

### FUNNEL WITH FILTER



Hard plastic funnel with filter.  
Ideal for all types of liquids;  
resistant to acids and oils.

MEASURES: 20 X 21 X 17 CM



REF: 2437

### THEMING KNIFE



Theming marking knife with 13.5 cm  
stainless steel blade.

MEASURES: 26 X 3 X 2 CM



REF: 2438

### 30L BUCKET



30 L bucket made of high-quality  
flexible plastic.

MEASURES: 32 X 32 X 48 CM



REF: 2439



### PLASTIC SCOOP

33 cm white plastic paste scoop.

MEASURES: 33 X 11 X 8 CM



REF: 2440




### SPONGE TROWEL

Orange foam trowel with  
fibreglass handle, 14 x 28 cm.  
Coarse finish.

MEASURES: 28 X 14 X 9 CM




REF: 2441



### SCRAPER TROWEL

Trowel with asymmetrical teeth for  
applying one-coat mortar, with a  
screwed PVC handle. For masonry  
and construction use.



MEASURES: 24 X 14 X 8 CM

REF: 2442



### STAINLESS STEEL STUCCO TROWEL

8 cm stainless steel trowel with  
ergonomic handle.

MEASURES: 24 X 8 X 7 CM



REF: 2443



## EXTERIOR ADHESIVE TAPE

Exterior adhesive tape, 25 m long, suitable for porous or hard-to-stick surfaces.

MEASURES: 25M X 30MM  
MEASURES: 25M X 48MM

REF: 2444  
REF: 2445



## JOINT RAKING TROWEL

Joint raking trowel for cleaning out joints and smoothing brick joint mortar, with wooden handle and steel blade.



MEASURES: 31 X 3 X 5 CM

REF: 2446



## 60MM CURVED SPATULA

Curved stainless steel spatula with 60 mm rigid blade and wooden handle.



MEASURES: 6 X 22 X 3 CM

REF: 2447



## GLOVES BOX

Extra-strong black powder-free nitrile gloves  
Single-use disposable gloves  
Latex-free  
Box of 100 units  
Size XL

MEASURES: 24 X 13 X 7 CM



REF: 2448

# ESTonetex Machines

## for Theming Works



### EST SIRIUS PLUS 230V



EST-SIRIUS PLUS is a 230 V single-phase spraying machine for dry and pre-mixed mortars and plasters, with 5.5 kW rated power (4 kW motor), adjustable output from 2–20 l/min for aggregates up to 4 mm, and quick three-part disassembly for easy transport and cleaning.

REF: 3000

### EST-70 400V



EST-70 is a 400 V three-phase spraying machine with 7.9 kW power, adjustable output from 7–35 l/min for aggregates up to 4 mm, easy three-part disassembly (motor, mixer, hopper) and quick cleaning, ideal for spraying bagged mortars and plasters on walls, ceilings, façades and floors.

REF: 3001

### EST SIRIUS PLUS 400V



UP-SIRIUS PLUS is a 400 V three-phase spraying machine with 6.8 kW rated power (5.5 kW drive motor), variable output from 7–35 l/min for aggregates up to 4 mm, EASY CLEAN system and quick three-part disassembly, ideal for pumping and spraying dry and pre-mixed mortars and plasters.

REF: 3002

### EST MORTAR SPRAYER



Hopper spray gun with 5 L adjustable plastic hopper, 4–8 mm metal nozzles and air/material flow regulators, ideal for spraying paints, stuccos, thin layer mortars, textured coatings and stone-effect pastes on walls, façades and decorative sculptures.

REF: 3003

## PNEUMATIC STAPLER



Pneumatic ring stapler for Simes simRT23 md80 staples, with 130-staple capacity, 5-7 bar (70-100 psi) working pressure, 23.8 mm staple length, 7.8 mm closure diameter, 33 x 21 cm size and 1.48 kg weight, ideal for fixing fibreglass mesh, expanded metal and wire mesh in theming.

REF: 3004

## MANUAL STAPLER



Manual Salki FSK 20C ring stapler with ergonomic bi-material handle, 50-staple capacity, suitable for fastening fibreglass mesh to rods up to 8 mm in diameter and featuring integrated side wire cutters up to 3 mm for theming structures, fencing.

REF: 3005

## PETROL GENERATOR AY-19000 V

Ayerbe AY-19000 V MN A/E is a 230 V single-phase petrol generator with electric start and Vanguard 627 cc engine, delivering up to 19 kVA / 15 kW (14 kW nominal) with a 25 L tank for about 7 h runtime at 75% load, ideal for 230 V spraying machines such as UP-SIRIUS Plus and other construction tools.

REF: 3006

## PLANETARY MIXER

Filamos M80 planetary mixer with 70 L useful capacity (111 L drum), for homogeneous mixing of all types of mortars and concrete with aggregates up to 10 mm, featuring 1.5-3 kW motors at 230/400 V, 47-50 rpm mixing speed and robust wheeled steel.

REF: 3007



### D5-2.5 WORM PUMP 230V

D5-2.5 worm pump for 230 V single-phase spraying machines such as EST-SIRIUS PLUS, with approx. 25 L/min output at 400 rpm, 270 mm self-adjusting length, iron casing with reinforced rubber liner, suitable for cement and lime mortars, one-coat, adhesive and self-levelling mortars and plasters with aggregates up to 3 mm.

REF: 3100



### ROTOR D5-2.5 230V

Rotor for D5-2.5 worm pump for 230 V single-phase spraying machines such as EST-SIRIUS PLUS, with approx. 25 L/min output at 400 rpm, 270 mm self-adjusting length, iron casing with reinforced rubber liner, suitable for cement and lime mortars, one-coat, adhesive and self-levelling mortars and plasters with aggregates up to 3 mm.

REF: 3101



### D6-3 WORM PUMP 400V

D6-3 worm pump for 400 V three-phase spraying machines, with approx. 20 L/min output at 400 rpm, 270 mm self-adjusting length, iron casing with reinforced rubber liner, suitable for cement and lime mortars, one-coat, rendered, theming mortars and plasters with aggregates up to 3 mm.

REF: 3102



### ROTOR D6-3 400V

Rotor for D6-3 worm pump for 400 V three-phase spraying machines, with approx. 20 L/min output at 400 rpm, 270 mm self-adjusting length, iron casing with reinforced rubber liner, suitable for cement and lime mortars, one-coat, rendered, theming mortars and plasters with aggregates up to 3 mm.

REF: 3103

## WORM PUMP SPRAY



400 ml spray lubricant for assembling worm pump and rotor in single-phase and three-phase spraying machines.

Long-lasting and non-adhesive to mortar or plaster, preventing blockages inside the pump.

REF: 3104

## 30MM SPONGE BALL



30 mm sponge ball for spraying machine hoses, used to clean out mortar or plaster residues inside.

REF: 3105

## CONICAL RUBER NOZZLE



Conical rubber nozzle for mortar and plaster spraying machine lances, 5.5 x 5.5 cm, with 12 mm and 14 mm outlet diameters.

MEASURES: 12MM

REF: 3106

MEASURES: 14MM

REF: 3107

## WATER FILTER



Water filter for single-phase and three-phase mortar or plaster spraying machines, 4 x 2.5 cm.

REF: 3108

## ROUND FILE



Round file with plastic handle and rough iron blade, 27 cm long, for cleaning the air tube in spraying machines.

REF: 3109



## SINGLE-PHASE SOLENOID VALVE 230V

Solenoid valve for single-phase spraying machines, regulating the water pump feed to the mixer.

REF: 3110



## FLAT RUBBER GASKET

Flat rubber gasket for mortar and plaster spraying hoses.

- Outer diameter: 40 mm
- Inner diameter: 25 mm
- Thickness: 5 mm

REF: 3111



# Contact

Pol Ind Torre Sancho A1-4  
44580 - Valderrobres (Teruel) - Spain  
[info@estechareproducciones.com](mailto:info@estechareproducciones.com)  
Phone: +34 978 850 716  
[www.estechareproducciones.com](http://www.estechareproducciones.com)

